

Panel sign family

Spec sheets by application and sign type



Room ID

1.

- Identification
- Personal Identification
- Conference RI
- Exit
- Wayfinding
- Regulatory
- Life Safety
- Workstation



Desktop

2.

- Personal Identification
- Workstation



Projecting

3.

- Symbol
- Restroom
- Pictogram



Directory

4.

- Wayfinding
- Information Holder
- Donor
- Evacuation
- Promotion
- Commercial



Suspended directional

5.

- Wayfinding
- Information



Stand

6.

- Wayfinding
- Information
- Commercial
- Promotion



Part No: MirVP-076-A-102




Part No: MirVP-076-A-152




Part No: MirVP-076-A-216

Inserts Options:

Acrylic of 2 mm/0.078"




Option A: with acrylic of 2 mm/0.078"




Option B: with acrylic of 2 mm/0.078" with set screw

Acrylic of 4mm/ 1.6"



Option C: with acrylic of 4 mm/1/6"



Option D: with acrylic of 4mm/1/6" and elevation on the back

Panel Sign Family
Room ID 3"-Window 1.5"



a

EXTRUSION
are made from high quality aluminum 6063 thickness of 6 mm 1/4"
Standard
1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)

1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:

1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

d

ACCENT BAR (available page no.*)
finish/color options:


1. Standard Mirtec anodized colors
2. Can be painted or powder coated

Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-76-W	76	3	■	■	■


1.0






Inserts Options:

Acrylic of 2 mm/0.078"




Option A: with acrylic of 2 mm/0.078"




Option B: with acrylic of 2 mm/0.078" with set screw

Acrylic of 4mm/ 1.6"



Option C: with acrylic of 4 mm/1/6"



Option D: with acrylic of 4mm/1/6" and elevation on the back

Panel Sign Family
Room ID 4"-Window 1.5"



a

EXTRUSION

are made from high quality aluminum 6063 thickness of 6 mm 1/4"

Standard

1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:

1. (Top & Bottom) Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:

1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

d


ACCENT BAR (available page no.*)


- finish/color options:
1. Standard Mirtec anodized colors
 2. Can be painted or powder coated

Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-102-W	102	4	■	■	■


1.1






Inserts Options:

Acrylic of 2 mm/0.078"




Option A: with acrylic of 2 mm/0.078"




Option B: with acrylic of 2 mm/0.078" with set screw

Acrylic of 4mm/ 1.6"



Option C: with acrylic of 4 mm/1/6"



Option D: with acrylic of 4mm/1/6" and elevation on the back

Panel Sign Family
Room ID 5"-Window 1.5"



- a**
EXTRUSION
are made from high quality aluminum 6063 thickness of 6 mm 1/4"
Standard
1. Clear anodized aluminum

- Custom Made finish/color options:**
1. powder coating
2. painting

- b**
GRAPHIC METHOD for Panels:
(Top & Bottom)
1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

- ADA-Ready™ Panels:**
1. .040 aluminum backed photopolymer

- Updateable Inserts with Matt Acrylic cover:**
1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...




- d**
ACCENT BAR (available page no.*)
finish/color options:
1. Standard Mirtec anodized colors
2. Can be painted or powder coated

Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-127-W	127	5	■	■	■

1.2





Panel Sign Family

Room ID 5"-Window 2.5"



a

EXTRUSION
are made from high quality aluminum 6063 thickness of 6 mm 1/4"
Standard
1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)
1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:

1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...




d

ACCENT BAR (available page no.*)
finish/color options:

1. Standard Mirtec anodized colors
2. Can be painted or powder coated

1.3





Panel Sign Family
Room ID 8"-Window 6"



a
EXTRUSION
are made from high quality aluminum 6063 thickness of 6 mm 1/4"
Standard
1. Clear anodized aluminum

Custom Made finish/color options:
1. powder coating
2. painting


b
GRAPHIC METHOD for Panels:
(Top & Bottom)
1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum


ADA-Ready™ Panels:
1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:
1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...


d
ACCENT BAR (available page no.*)
finish/color options:
1. Standard Mirtec anodized colors
2. Can be painted or powder coated

1.4







Insert Options:




Option A: with acrylic of 2 mm/0.078"



Option B: with acrylic of 2 mm/0.078" with set screw



Option C: with acrylic of 4 mm/1/6"



Option D: with acrylic of 4mm/1/6" and elevation on the back

Acrylic of 2 mm/0.078"

Acrylic of 4mm/ 1.6"

Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-187-W	187	7.36	■	■	■

1.5

Panel Sign Family

Room ID 7.36"-Window 4"



a

EXTRUSION

are made from high quality aluminum 6063 thickness of 6 mm 1/4"

Standard

1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)

1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:


1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

d


ACCENT BAR (available page no.*)
finish/color options:

1. Standard Mirtec anodized colors
2. Can be painted or powder coated






Acrylic of 2 mm/0.078"




Option A: with acrylic of 2 mm/0.078"




Option B: with acrylic of 2 mm/0.078" with set screw

Acrylic of 4mm/ 1.6"



Option C: with acrylic of 4 mm/1/6"



Option D: with acrylic of 4mm/1/6" and elevation on the back

Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-187-W	187	7.36	■	■	■

1.6

Panel Sign Family
Room ID 7.36"-Window 4"



a

EXTRUSION
are made from high quality aluminum 6063 thickness of 6 mm 1/4"

Standard

1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)

1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer


Updateable Inserts with Matt Acrylic cover:


1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

d





ACCENT BAR (available page no.*)
finish/color options:

1. Standard Mirtec anodized colors
2. Can be painted or powder coated







INSTALLATION OPTIONS:



Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-76-W	76	3	■	■	■
2	MirVP-102-W	102	4	■	■	■
3	MirVP-127-W	127	5	■	■	■



1.7

Panel Sign Family

Cubicle

a

EXTRUSION
are made from high quality aluminum 6063 thickness of 4 mm 1/6"

Standard

1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)

1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:

1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

Hanging accessory finish/color options:


1. Clear anodized aluminum


d

ACCENT BAR (available page no.*)


finish/color options:

1. Standard Mirtec anodized colors
2. Can be painted or powder coated





STANDARD OPTIONS:



Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-76-W	76	3	■	■	■
2	MirVP-102-W	102	4	■	■	■
3	MirVP-127-W	127	5	■	■	■



2.0

Panel Sign Family

Desktop



a

EXTRUSION
are made from high quality aluminum 6063 thickness of 4 mm 1/6"
Standard
1. Clear anodized aluminum

Custom Made finish/color options:

1. powder coating
2. painting

b

GRAPHIC METHOD for Panels:
(Top & Bottom)

1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:

1. .040 aluminum backed photopolymer
- Updateable Inserts with Matt Acrylic cover:**
 1. Digital printing into acrylic
 2. w/in-house computer paper inserts,
 3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...


Base finish/color options:


1. Mirtec clear anodized aluminum

d

ACCENT BAR (available page no.*)
finish/color options:

1. Standard Mirtec anodized colors
2. Can be painted or powder coated





Standard sizes

No.	Part No.	H		W		
		mm	inch	102mm/4"	152mm/6"	216mm/8.5"
1	MirVP-76-W	76	3	■	■	■
2	MirVP-102-W	102	4	■	■	■
3	MirVP-127-W	127	5	■	■	■

Panel Sign Family
Projecting Solid Bracket

a
EXTRUSION
are made from high quality aluminum 6063 thickness of 4 mm 1/6"
Standard
1. Clear anodized aluminum

Custom Made finish/color options:
1. powder coating
2. painting

b
GRAPHIC METHOD for Panels:
(Top & Bottom)
1. Silk Screen Printing
2. Digital Printing into Anodized Aluminum

ADA-Ready™ Panels:
1. .040 aluminum backed photopolymer

Updateable Inserts with Matt Acrylic cover:
1. Digital printing into acrylic
2. w/in-house computer paper inserts,
3. vinyl inserts, alum' inserts or materials with a small degree of flexibility, such acrylic, wood veneer...

MOUNTING BRACKET
finish/color options:
1. Mirtec clear anodized aluminum
2. Painted aluminum cap standard

d
ACCENT BAR (available page no.*)
finish/color options:
1. Standard Mirtec anodized colors
2. Can be painted or powder coated

3.0

